
VASILEVSKIY, M.N., kand.teknn.nauk

Using cable guides. Shakht.stroi. 8 no.l: 11 12 Ja '64.

1. Institut Gipronizelektroshakht.

(MIR4 1":4)



VASILEVSKIV M.N., kand.tekhn.nauk; VEYSHERG, K.G., inzh.; DENEIK, V.F., inzh.; KOMINEV, B.L., inzh.

Automated mine hoisting system with low-frequency drag-up using silicon power rectifiers. Energ. i elektrotekh. prom. no.4:47-49
0-D *64.

(MIRA 18:3)

VASILEVSKIY, M.N., kand. tekhn. nauk; TRAUBE, Ye.S., kand. tekhn.nauk; RUTBERG, L.N., inzh.; STOROZHEV, I.F., inzh.

New system of semiautomatic control of mine hoisting. Shakht. stroi. 8 no.10:4-7 0 '64. (MIRA 17:12)

1. Institut Giproniselektroshakht.

VASILEVSKIY, M.Ye.; KOGAN, V.Kh.; KUZNITSINA, N.P.

Intra-tracheal penicillin therapy of pulmonary suppurations. Sovet. med. 16 no. 7:5-8 July 1952. (CIML 22:4)

1. Professor for Vasilevskiy; Doctor Medical Sciences for Mogan. 2. Of the Hospital Therapy Clinic, Yaroslavl' Medical Institute.

VASILEVSKIY, H.Ye.

Liver function in hypertension. Klin. med., Moskva 31 no.6:91 June 1953. (CIML 25:1)

1. Professor. 2. Of the Department of Hospital Therapy (Director -- Prof. M. M. Vasilevskiy), Yaroslavl' Medical Institute.

SHOLOKHOVA, G.I. (Yaroslavl'); VASILEVSKIY, M.E., professor, zaveduyushchiy.

Hemodynamics in acute rheunatism. Klin.med. 31 no.7:26-31 Jl '53.

(MLRA 6:9)

1. Kafedra gespital'noy terapii Yaroslavskogo meditsinskogo instituta.

(Rheumatic fever) (Blood pressure)

FRIDLENDER, M.S., kandidat meditsinskikh nauk; VASILEVSKIY, M.E., professor, direktor.

Osmotic resistance of erythrocytes and toxogenic gramulation of leukocytes in asbestosis. Klin.med. 34 no.4:86 Ap '53. (MLRA 6:7)

1. Gospital'naya terapevticheskaya klinika Yaroslavskogo meditsinskogo instituta. (Lungs--Diseases) (Blood--Corpuscles and platelets)


VASILEVSKIY, N.A., kandidat tekhnicheskikh nauk.

Condensate movement in drying cylinders and selection of cylinder diameters.

Bum.prom. 28 no.11:21-23 N '53.

(Paper-making machinery)

(Paper-making machinery)



VASILEVALLY N.A., dotsent, kandidat tekhnicheskikh nauk.

"Flow of condensate in drying cylinders, and selection of their diameter." Bum.prom. 29 no.12:16 D '54. (MLRA 8:2)

(Papermaking machinery)

VASILEVSKIY, N.A., kandidat tekhnicheskikh nsuk

Using strip thermocouples for temperature measurement of drier cylinder walls. Bum.prom.30 no.7:12-13 Jl 55. (MIRA 8:10)

(Paper making machinery)

GROSHIKOV, Aleksandr Ivanovich; USAN, Aleksandr Lukich; VASILEVSKIY, N.A., retsenzent; MKREKALOV, I.F., retsenzent; RAPPOPCHT, M.G., red.; AKIMOVA, A.G., red., izd-va; UVAROVA, A.F., tekhn. red.

AND THE WARMAN OF THE WARMAN TO SEE THE SECOND SECO

[Forty-five column punched card computer; servicing and repair]
Schetno-perforatsionnye 45-kolonnye mashiny; tekhnicheskoe obsluzhivanie i remont. Moskva, Gos. nauchno-tekhn. isd-vo mashinostroit.
lit-ry, 1958. 270 p. (MIRA 11:10)

(Electronic calculating machines)

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8"

VASILEVSKIY, N.A., kand. tekhn. nauk


Improving the economy characteristics of the cycle of steam power plants with counterpressure at the expense of a regenerative heating of the feed water. Trudy LTITSBP no.10:123-128 '62.

(MIRA 16:8)

(Steam power plants) (Paper industry)

VASILEVSKIY, N. M.; SHEVCHUK, K. S.; LITVINENKO, N. M.

"The Problem of Extending the Effect of Penicillin on the Organism," Voyenno-Med. Zhur., No. 6, p. 29, 1955.



HSILEVSKIY, Ne Itt-

> USSR/Human and Animal Physiology - The Effect of Physical Factors.

V-13

Abs Jour

: Ref Zhur - Biol., No 2, 1958, 9195

Author

: N.M. Vasilevskiy

Inst

Transcription and the setting of the

Title

: Blood Clotting Following Exposure to Ionizing Radiation.

Orig Pub

: Zdravookhran. Belorussii, 1957, No 1, 36-37

Abstract

: Single total irradiation with X-rays in doses amounting to 1000 to 1800 r failed to produce abrupt changes in the clotting properties of the blood. For the first 2 to 3 days clotting was more rapid in most of the rabbits (up to 70% with respect to the initial level), then with slight fluctuations in the direction of retardation (up to 140%) remained fairly contant up until the 10th to the 15th day and subsequently reverted to normal. The prothrombin content fell off slightly from the 5th to the 20th day after irradiation and attained its normal value

Card 1./2

Col, Medical Service, Mensk Okrug Melitary Hospital.

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8"

USSR/Human and Animal Physiology - The Effect of Physical Factors.

V-13

Abs Jour

: Ref Zhur - Biol., No 2, 1958, 9195

toward the 30th to the 35th day.

Hypoprothrominemia was not pronounced (not below 75% of plasma prothromin). Thrombopenia developed gradually following irradiation, and reached a low point (143,000 platelets per mm³) on the 4th to the 8th day.

"Microthrombocytes" were seen among the platelets, as were vacuolized platelets. Blood viscosity varied within normal limits.

Card 2/2

VASILEVSKIY, N.N.

A device for ridding pipettes, syringes and test tubes of radioactive contamination. Vest.rent. i rad. 31 no.4:64-65 Jl-Ag *56. (MIRA 9:10)

1. Iz kafedry normal'noy fiziologii (i.o. kav. kafedroy - dotsent A.I. Naumenko) I Leningradskogo meditsinskogo instituta imeni akademika I.P.Pavlova.

(RADIATION PROTECTION, appar, and instruments device for cleaning pipettes, syringes & test tubes from radioactive inpurity)

USSR / Human and Animal Physiology. Nervous System.

T-10

Aba Jour

: Ref Zhur - Biologiya, No 1, 1959, No. 3751

Author

: Vasilevskiy, N. N.; Naumenko, A. I.

Inst

! Not given

Title

Distance Method for Investigation of Cerebrospinal

Fluid Dynamics

Orig Pub

: Vopr. neyrokhirurgii, 1957, No 6, 30-31

Abstract

: In 20 cats a solution of NaCl containing 40 - 100 m Curte J131 was introduced into different parts of the subarachnoidal space; the radioactivity was then measured at the introduction point, as well as at a distance of 5 cm caudally and cranially from it. The time required for formation of an equilibrium at all points of measuring reflected the intensity and exchange of the CSF, and corresponded to 2 - 3 hours when the preparation was introduced into the suboccipital and lumbar cisterns,

Card 1/2

USSR / Human and Animal Physiology. Nervous System.

T-10

Abs Jour : Ref Zhur - Biologiya, No 1, 1959, No. 3751

and to 4-6 hours when J^{131} was administered into the lumbar sac. -- K. S. Ratner

Card 2/2

66

USSR / Human and Animal Physiology. Nervous System.

T-10

Abs Jour

: Ref Zhur - Biologiya, No 1, 1959, No. 3753

Author

: Vasilevskiy, N. N.

Inst

: Not given

Title

: Study on Volumetrical Velocity of the Cerebrospinal

Fluid Movement

Orig Pub

: Fiziol. zh. SSSR, 1957, 43, No 8, 761-770

Abstract

: Under a morphine-wrethan narcosis, P32 in a total activity of 1.5 - 5.9 mln. imp /min (?) in a physiological solution was injected into the lateral ventricle of dogs. From 2 - 150 minutes later, samples of the cerebrospinal fluid were taken from the suboccipital cistern and their radioactivity was measured on setting "B". The activity of the CSF began increasing at the second minute, reached its maximum in 20 - 40 minutes, with subsequent decrease in the course of 40 - 120 minutes. The volumetrical rate

Card 1/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8" USSR / Human and Animal Physiology. Nervous System.

T-10

Abs Jour : Ref Zhur - Biologiya, No 1, 1959, No. 3753

of the cerebrospinal fluid movement was determined by means of mathematical analysis of the obtained concentrated curves. Experiments on a physical model with a system of communicating cavities confirmed the calculations. In tests on dog cadavers it was demonstrated that the diffusion of P³² from the brain ventricles into the suboccipital cistern was insignificant. Part of the isotope is absorbed in the brain ventricles. According to the author's findings, from 90 to 129 ml of CSF is formed in a dog's brain ventricles during 24 hours and passed into the subarachnoidal space. The entire cerebrospinal fluid is exchanged on an average of 10 times a day. -- M. Ya. Mayzelis

Card 2/2

67

21386 \$/194/61/000/009/038/053 D256/D302

27 4000

Antonov, A.K., Vasilevskiy, N.N., Naumenko, A.I.

and Sazonov, S.Ya.

TITLE:

AUTHOR:

Pressure and volume-pulse recording by a tensometr-

ic method

PERIODICAL:

Referativnyy zhurnal. Avtomatika i radioelektronika,

no. 9, 1961, 6, abstract 9 E45 (Fiziol. zh. SSSR,

1961, 47, no. 2, 275-279)

TEXT: The absolute values of the pressure and its rapid as well as slow variations can be measured for medical purposes by the tensometric methods. For the pressure measurements a special unit was devised consisting of two hermetically enclosed halves divided by the sensing membrane. A capsule or a hypodermic needle for sensing the pressure respectively in a cavity or inside a blood vessel were connected to the bottom part of the unit filled with a liquid. In the top part constantan stress-gauges of 200 - 300 ohm

Card 1/2

N

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8"

21386 S/194/61/000/009/038/053 D256/D302

Pressure and volume-pulse...

resistance were glued to the membrane. For volume-pulse measurements the unit consisted merely of the top part with the sensing membrane, and it was used by placing it in contact with the skin at the projection of an artery. A IC/-2 (TSU-2)-type multichannel tensometric unit was employed to amplify the signals so that several physiological processes could be recorded simultaneously. A carrying frequency of 3500 cs/sec from a R-C generator is used for amplification in each channel. The amplified signals rectified and filtered were displayed on a MIG-2 (MPO-2)-type oscillograph, the sensitivity of the instrument being adjustable. For calibration mercury or water manometers were used according to the purpose. The described instruments are suitable for absolute measurements of the following pressures: arterial, venous, intra-ocular; and for recording pulses: temple, somnous, radial, thigh, knee and intra-abdominal and also for recording their rapid and slow variations. The apparatus is comparatively simple in operation. 4 references.

Card 2/2

VASILEVSKIY, N.N.

Problem of direction and lineal rate of flow of cerebrospinal fluid in the spinal subarachnoid space [with summary in English]. Biul. eksp.biol. i med. 45 no.1:8-13 Ja 158. (MIRA 11:4)

1. Iz kafedry normal'noy fiziologii (i.o.zav. - dotsent A.I.Naumenko)
1-go Leningradskogo meditsinskogo instituta imeni akad. I.P.Pavlova.
Predstavlena doystvitel'nym chlenom AMN SSSR P.S.Kupalovym.
(CEREBROSPINAL FIUID, physiology,

flow direction & lineal rate in spinal subarachnoid space (Rus))

CHERKASOV, Vladimir Fedorovich, kand.med.nauk; VASILEVSKIY, N.N., red.;
GULIAIEVA, T.S., tekhn.red.

[Tagged atoms in physiology and medicine] Mechenye atomy v
fiziologii i meditaine. Leningrad, Gos.izd-vo med.lit-ry. Leningr.otd-nie, 1959. 60 p.

(TRACERS (BIOLOGY))

(MIRA 13:5)

TOMSON, Nikolay Martynovich; VASILEVSKIY, N.N., red.; SHEVCHENKO, P.Ya., tekhn.red.

[Senitary protection of air from pollution] Sanitarnaia okhrana atmosfernogo vozdukha ot zagriaznaniia. Leningrad, Gos.izd-vo med.lit-ry, Leningr.otd-nie, 1959. 173 p.

(MIRA 13:2)

(AIR--POLLUTION)

OL'NYANSKAYA, Regina Pavlovna; ISAAKYAN, Lilian Arshavirovna; VASILEVSKIY, N.N., red.; RULEVA, M.S., tekhn.red.

[Methods for studying gas exchange in man and animals] Metody issledovaniia gazovogo obmena u cheloveka i zhivotnykh. Leningrad, Gos.izd-vo med.lit-ry Medgiz, Leningr.otd-nie, 1959. 179 p.

(MIRA 12:10)

(RESPIRATION)

RIKKL', Anna Vikent'yevna; VASILEVSKIY, N.N., red.; RULEVA, M.S., tekhn.red.

[Nervous regulation of the interaction of vegetative functions]
Nervous regulated vzaimodeistviia vegetativnykh funktsii.
Leningrad, Medgiz, 1961. 199 p. (MIRA 15:5)
(NERVOUS SYSTEM, AUTONOMIC)

TEPLOV, Sergey Ivanovich; VASILEVSKIY, N.N., red.; SAFRONOVA, I.M., tekhn. red.; KHARASH, G.A., tekhn. red.

[Neural and hormonal regulation of coronary blood circulation]
Nervnaia i gormonal naia reguliatsiia koronarnogo kroboobrashcheniia. Leningrad, Medgiz, 1962. 142 p. (MIRA 15:6)
(CORONARY VESSELS)

NAUMENKO, A.I.; VASILEVSKIY, N.N.

Relation of the cerebrospinal fluid pulse to the tone of the cerebral vessels. Biul. eksp. biol. i med. 54 no.8:12-16 Ag '62. (MIRA 17:11)

1. Iz TSentral'noy nauchno-issledovatel'skoy laboratorii (zav. - doktor med. nauk S.I. Yakovlev) I Leningradskogo meditsinskogo instituta imeni akademika Pavlova. Predstavlena deystvitel'nym chlenom AMN SSSR Kupalovym.

VASILEVSKIY, N.N.; GABUZOV, A.N.; NAUMENKO, A.I. (Loningrad)

Mechanism of local disorders in the outflow of cerebrospinal fluid. Vop. neirokhir. 27 no.1:24-26 Ja-F 163. (MIRA 16:5)

CHEST TREE TO THE TREE TO BE A THE TOTAL CONTROL OF THE SECOND OF THE PROPERTY OF THE PROPERTY

1. Kafedra normal'noy fiziologii i normal'noy anatomii Pervogo Leningradskogo meditsinskogo instituta imeni I.P.Pavlova. (CEREEROSPINAL FLUID) (ERAIN—WOUNDS AND INJURIES)

VARTANYAN, G.A.; VASILEVSFIY, N.N.

Instability of responses from the neurons of the central nervous system. Fiziol. zhur. 49 no.4:398-404 Ap 163. (MIRA 17:4.)

1. From the Laboratory of Comparative Physiclegy and the Laboratory of Cybernetics, Institute of Experimental Medicine, Leningrad.

VASIALVERIY, N.M.; GUZEYUT. 9.Ye.

Borice for recording prosture, prime volume and for the grain on the MFO-2 conditiograph. Finice, whim. An analytic Market 19-11, 163.

1. From the Central Research Inheritory, First the conditional Laboratory, Duningrad.

VARTANYAN, G.A.; VASILEVSKIY, N.N. Optimum frequencies for afferent stimulation of the intermediate neurons of the spine. Dokl.AN SSSR 149 no.1:210-212 Mr '63.

(MIRA 1612)

1. Institut eksperimental noy meditsiny AMN SSSR. Predstavleno akademikom V.N.Chernigovskim.

(Electrophysiology) (Nerves, Spinal)

CIA-RDP86-00513R001858810011-8" APPROVED FOR RELEASE: 08/31/2001

VARTANYAN, G.A.; VASILEVSKIY, N.N.

Evaluation of the functional properties and reactions of individual neurons of the central nervous system. Fiziol. zhur. 50 no.2:153-160 F '64. (MIRA 18:2)

1. Otdel sravnitel'noy fiziologii i patologii Instituta eksperimental'noy meditsiny AMN SSSR, Leningrad.

VATSURO, Erazm Grigor'yovich, prof., 101.; BOGDENOV, Slag Viktorovich, kami. med. namg: VALUEV.kiy. N.N., red.

[hisays on the evolution of nervous activity; a festschrift on the 60th birthday and the 40th anniversary of the scientific and pedagogic activity of Professor F.A.Biriukov, Member of the Academy of Medical Sciences of the U.S.S.R.] Otherki evoliutati nervnoi deiatelinosti; kollektivnaia monografita, posviashchemata 60-letitu dnia rozhdenila i 40-letitu hauchno-pedagogicheskoi desiatelinosti deistv. oblena MAN MASR prof. D.A.Biriukova. Fod red. E.G.Vatsuro i O.V.Bogdanova. Leningrad, Meditsina, 1964. 229 p. (MIRA 17:11)

1. Akademiya meditsinskikh nauk S.SR, Moscow.

BAKHTEROVA, Nataliya Petrovna; BONDARCHUK, Anton Vasil'yevich; ZONTOV, Vasiliy Vasil'yevich; VASILEVSKIY, N.N., red.

[Raynaud's disease; clinical aspects and neuropathophysiclogical studies of the central mechanisms] Bolezn' Reino; klinika, neiropatofiziologicheskie issledovaniia tsentral'nykh mekhanizmov. Leningrad, Meditsina, 1965. 188 p. (MIRA 18:4)

RUBINOV, Iosif Solomonovich; VASILEVSKIY, N.N., red.

[Physiological principles of stomatology] Fiziologicheskie osnovy stomatologii. Leningrad, Meditsina, 1965. 350 p.

(MIRA 18:2)

VASILEVSKIY, N.N.

Characteristics of the functional properties of individual neurons of the somatosensory cortex in adult rabbits and cats. Zhur. vys. nerv. deiat. 15 no.3:529-538 My-Je '65. (MIRA 18:6)

1. Cybernetics Laboratory, Department of Comparative Physiology and Pathology, Institute of Experimental Medicine, Academy of Medical Sciences of the U.S.S.R., Leningrad.

VASILEVSKIY, N.N.

Data on the characteristics of induced reactions in internuncial neurons of the spinal cord. Fiziol.zhur. 50 no.4:435-443 Ap 164.

(MIRA 18:4)

1. Otdel sravnitel noy fiziologii i patologii Instituta eksperimental noy meditsiny AMN SSSR, Leningrad.

VASILEVSKIY, N.N.

Relationship between the background impulse activity of cortical neurons and phases of the electrocorticogram. Eiul. eksp. biol. i med. 59 no.6:3-7 Je '65. (MIRA 18:6)

l. Laboratoriya kibernetiki (zav. D.N. Menitskiy) otdela sravnitel'noy fiziologii (zav. - deystvitel'nyy chlen AMN SSSR prof. D.A. Biryukov) Instituta eksperimental'noy meditsiny AMN SSSR, Leningrad.

E 29367-66
ACC NR: AP6019797 SOURCE CODE: UR/0239/65/051/004/0424/0430

AUTHOR: Vasilevskiy, N. N.; Klimova-Cherkasova, V. I.; Vartanyan, G. A.

4

ORG: Institute of Experimental Medicine, AMN SSSR, Leningrad (Institut eksperimental now meditainy AMN SSSR)

TITLE: Structural and functional interrelationships between excitation and inhibition in the central nervous system

SOURCE: Fiziologicheskiy zhurnal SSSR, v. 51, no. 4, 1965, 424-430

TOPIC TAGS: central nervous system, cat, neuron, neurophysiology

ABSTRACT: In experiments with cats, individual motor neurons of the spinal cord were stimulated electrically by applying the microelectrode technique. At current frequencies \$\geq 300\$ cycles excitation postsynaptic potentials were suppressed entirely and only inhibition postsynaptic potentials were observed. In another series of experiments, also conducted on cats, the response of a thin bundle of n. vagi fibers upon bipolar stimulation of medial divisions of the brain stem (medial nuclei of the thalamus, central grey matter around the aqueduct of sylvius) was studied. It was established that within the motor nucleus of the vagus nerve motor neurons differed in regard to their functional characteristics as far as stimulation and inhibition of discharges synchronous with inhalation (inspiration) and exhalation

Card 1/2

UDC: 612.822.3

(expiration of the current of the current optimal cycles had in earlier present in stimulating the current of t	rent appons inhi um for e an opti work do the vag g inspir	oncerned. lied, neumoniting insumptrations mum effectione by other us nerve, ation and Both series	cons stimespiration, while to the stime of investibles, files, files of expensions.	ulatin were, hose i ulatin igator bers t hat tr	ig inspactive in the inspaction in the inspaction in the income in the i	piration wated. Fre range fro piration. It two type cansmit efferent thicated the	ere inh quencie m 30 to It was es of fi ferent : impuls at thex	s > 20 100-2 estab ber ar impuls es sti	o cycles continued continu		
functional into the cothat these	differe ompositi systems	nces between	een activ coordina structure	ating nating national	and in echan	inibiting isms_of ne t. Orig. (systems rve act irt. has	enter: ivity	igures.	[JPRS]	7
										·	
				•			· · · · · · · · · · · · · · · · · · ·				-


VASILEVSKIY, N.N.

Late results of treatment in fracures of the tibial condyle.

Ortop., tram. i prtoez. no.7:22-27 61. (MIRA 14:8)

1. Iz Ukrainskogo instituta usovershenstvovaniya vrachey (dir. dotsent I.I. Ovsiyenko) i Ukrainskogo nauchno-issledovatel'skogo instituta ortopedii i travmatologii im. M.I. Sitenko (dir. dhen-korrespondent AMN SSSR prof. N.P. Novachenko).

(TIPIA-FRACTURE)



Characteristics of a two-component objective with an outlying inlet lense. Izv.vys.ucheb.zav.; prib. 5 no.3:111-121 162.

1. Leningradskiy institut tochnoy mekhaniki i optiki. Rekomendovana kafedroy optiko mekhanicheskikh priborov.

(Optical instruments)

VASILEVSKIY, O.N.

Comments on the method proposed by M.M.Rusinov on the transition from a symmetrical objective to a nonsymmetrical one. Izv.vys.ucheb. zav.; prib. 7 no.6:71-76 164. (MIRA 18:2)

1. Leningradskiy institut tochnoy mekhaniki i optiko-mekhaniche-skikh priborov.

Working group for bulk cargoes at the Intergovernmental farities Consultative Organization. Mor. flot 25 no.8:44 Ag '65.

(MIRA 18:2)

1. Kapitan-na,tavnik Chernomorekogo parokhodstva (for Klad'ko).
2. Zamestitel' nachal'nika Glavnogo upravleniya moreplavaniya Ministerstva morekogo flota (for Vasilevskiy).

Using course angle grids to define the course and speed of a vessel located by radar. Mor. flet 16 no.6:12-13 Je 156. (MIRA 9:9)

1. Kapitan parokhoda "Kronshtadt". (Radar in navigation)(Aids to navigation)(Collisions at sea-Prevention)

VASILEVSKIY, P.

Stalnye Otlivki - Tekhnologiia Formovki, Zalivki i Vybivki (Steel Castings - Technology of Moulding, Pouring and Dislodging)

408 p. 1.75

SO: Four Continent Book List, April 1954


V 360 X	Rules for icebreaker-led ships through ice. Mor. flot	
	22 no.11:15-16 N '62.	
	1. Ispolnyayushchiy obyazannosti Glavnogo Revizora po bezopasnosti moreplavaniya Ministerstva morskogo flota. (Seamanship—Cold weather conditions)	

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8"


VASILEVSKIY, P. O., Engr.

"Improving the drying process of tunnel dryers manufactured by the Bogdanovich factory" $\,$

Ogneupory, No. 4, 1949




VASILEVSKIY, P. O.	USSR/Engineering - Refractories, Equip- Mar 52 ment "On The Selection of Kilns for Firing Grog," Ye. A. Kogan, Engr, Kuznetsk Wetallurgical Combine, Bot sparattericles, one by each author, deal- Two separate articles, one by each author, deal- Two separate articles, one by each author, deal- Trow separate articles, one by each author, deal- Trow separate articles, one by each author, for firing are final stage Clay to obtain bard-burned grog, are final stage Togar William are recognized as most productive, Botary kilns for firing Togar Andrew	
2014F23	6 % W P A	



Journal of the American
Geramic Society
July 1954
Structural Clay Froducts

Stresses in clay pipe during drying. P. O'Y AMERICAN, Metholic Results of Control of Cont



, Vo	T. R. 1. 3 No. 5 Ly 1954 Tramije and Concrete	6010° Stresses Occurring During the Dyving Process Inside the Rody of Cylindrical Ducta Made of Clay Slips. (Russian.) P. O. Vanlevskii, Steklo i Keramika, v. 10, no. 10, Oct. 1953, p. 23-27. Discusses phenomena of surface bubbles and internal cracks. Graphs, diagrams.					
				11-8-54 ,rml			

15(2)

AUTHORS: Vasilevskiy, P. A., Nesterov, V. I., SOV/131-50-12-3/10

Kuznetsov, Yu. A.

TITLE:

Investigation of the Operation of a Rotary Furnace With Heat Exchangers (Issledovaniye raboty vrashchayushcheysya

pechy s vnutrennimi teploobmennymi ustroystvami)

PERIODICAL:

Ogneupory, 1958, Nr 12, pp 539 - 544(USSR)

ABSTRACT:

A furnace provided with internal heat exchangers of the Ditts system was investigated at the "Magnezit" plant. The furnace had a length of 90 m and a diameter of 3.5 m. A conical part was fixed to the cold furnace end, and a segment diaphragm was fixed to the gate. The number of rotations of the furnace was 0.59 - 1.18 per minute, when the main drive was switched on, and 1 per hour, when the accessory drive was switched on. Figure 1 shows that a metallic and ceramic heat exchanger were installed in the furnace. The metallic equipment consists of 20 sections and has a length of 16 m and a weight of 30 tons approximately (Fig 2). The ceramic equipment has a total length of 19 m and consists of aluminous shapes, which are also

Card 1/3

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8" Investigation of the Operation of a Rotary Furnace With 50V/131-59-12-3/10 Heat Exchangers

rich in chamotte (Fig 3). The furnace operation was investigated under different burning conditions (Table 1). The operation of this furnace was compared with that of another furnace without heat exchanger (Table 2). It was found that both furnaces differ much in their operation. The quantities of dust separation during the experiments are given in the tables 3 and 4. The characteristics of the magnesite and the temperature within the furnace provided with heat exchangers are given in table 5. Conclusions: The specific fuel consumption is decreased by from 15 up to 19% by the installation of internal heat exchangers; the furnace output is 17% lower than that of a furnace without heat exchanger. The use of heat exchangers of the Ditts system is, due to the considerable dust separation, unsuited for burning magnesite. The length of the ceramic heat exchanger must be reduced down to 15 m and can be built completely with stones rich in chamotte, since the gases do not exceed a temperature of 13000 in this zone. Heat-resisting steel should be used for the manufacture of the metallic heat exchangers. The

Card 2/3

Investigation of the Operation of a Rotary Furnace With SOV/131-58-12-3/10

furnace lining before and behind the heat exchanger should be constructed with refractories of high impact- and friction resistance. There are 3 figures and 5 tables.

ASSOCIATION: Institut ogneuporov, g. Satka (Institute of Refractories, Town of Satka) Zavod "Magnezit" ("Magnezit" Plant)

Card 3/3

5/ 31 62/000/002/002/004 2105/3101

AUTHORS:

Okhrimovich, B. P., Tishkov, Yu. Ya., Yallevskiy, P. A.,

Pasyuk, K. I.

TITLE:

New ram ing method for hearths of steel furnaces

PERIODICAL:

Ogneupory, no. 2, 1962, 61-55

TEXT: Results of experimental and industrial research are given and suggestions are made for repairing rammed bottoms of open hearths and electric steel furnaces by dry magnesite powder. The parameters suited best for the production of rammed hearths of maximum durability were determined in the laboratory. Powdered magnesite of the zavod "Magnezit" ("Magnezit" Plant) was used to study the effects of the grain composition of magnesite powder, thickness of the rammed layer, ramming time and techniques, binding agents, sintering additives, and powder humidity. Since July 1960, experiments of repairing hearths in cold state by pneumatic ramming of dry magnesite powder have been conducted in the steel works of the Zlatoustovskiy metallurgicheskiy zavod (Zlatoust foundry). For repairing hearths in hot state, MTM (MPM) or MTK (MPK) powders are Card 1/2

S/131/62/000/002/002/004 B105/_ 31

New rooming method for hearths ...

molte on to the walls and vaults. To increase the durability of hearths of stell furnaces especially when melting high-quality steels, the former are 12 duced by ramming dry magnesite powder with a minimum content of 88% MgO. The greatest density of the working layer of hearths is obtained by using magnesite powders with a 65-75% content of the 4-0.1 mm fraction, 35-25% of a fraction < 0.1 mm including 25-15% < 0.06 cm. To improve the hearth density without a considerable reduction in refractoriness, up to 5% of titanomagnetite concentrate is added. Ramming and repairing hearths with dry magnesite powder increases their durability considerably and reduces the time of waiting and the consumption of magnesite powder and fuels. To promote the application of the new technique, the production of magnesite powder of the required grain composition will have to be applied, in the "Magnezit" plant. There are 3 tables and 3 Soviet references.

ASSOCIATION:

Zlatoustovskiy metallurgicheskiy zavod (Zlatoust Foundry) (Okhrimovich, B. P., Tishkov, Yu. Ya.); Institut ogneuporov v. g. Satke (Institute of Refractories in Satka) (Vasilevskiy, P. A., Pasyuk, K. I.)

Card 2/2

TISHCHENKO, O.I.; OKHRIMOVICH, B.P.; TISHKOV, Yu.Ya.; KULAKOV, I.I.; KHRUSTAL'KOV, L.A.; VASILEVSKIY, P.A.; PASYUK, K.I.

New method of building arc furnace hearths. Metallurg 8 no.2:15-17 F '63. (MIRA 16:2)

1. Zlatoustovskiy metallurgicheskiy zavod i Chelyabinskiy institut ogneuporov.

(Electric furnaces—Design and construction)

TISHKOV, Tu.Ya.; KREST'YANINOV, V.F.; VASILEVSKIY, P.A.


Hammed hearth of a 190-ton furnace. Metallurg 8 no.5:13-15
My '63.


(Open-hearth furnaces--Maintenance and repair)


VASILEVSKIY, P.A.; MIRONOV, N.P.

Operation of a rotary kiln with a stationary preheater. Ogneupory 30 no.3:7-10 '65. (MIRA 18:5)

). Vostochnyy institut ogneurorov (for Vasilevskiy). 2. Chelyabinskiy elektrometallurgicheskiy kombinat (for Mironov).







VASILEVSKI, P. F.

Stal'nye otlivki; tekhnologiia formovki, zalivki i vybivki. Moskva, Mashgiz, 1950. 408 p. illus.

Bibliography: p. 401-(402)

(Steel castings; molding, pouring and knockout technique.)

DLC: TS230.V34

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

VASILEVSKIY, P.F. [Using the action of gas pressure in heavy-gauge heads] Ispol'sovanie deistviia gazovogo davleniia v pribyliakh bol'shikh sechenii. Sverdlovsk, Gos. nauchno-tekhn. ind-vo mashinostroit.i sudostroit. lit-ry [Uralo-Sibirskoe otd-nie] 1953. 33 p. (MIRA 7:3) (Founding)

RUSTSOV, N.N., laureat Stalinskoy premii, zasl.deyatel nauki i tekhniki, doktor tekhnicheskikh nauk, professor; VASILIVSKIY.


P.F. retsenzent, kandidat tekhnicheskikh nauk; KHYLOV, V.I. inzhener, redaktor; SIDOROV, V.N., inzhener, redaktor; GOLOVIN, S.Ya., inzhener, redaktor; POPOVA, S.M., tekhnicheskiy redaktor; SOKOLOVA, T.F., tekhnicheskiy redaktor.

1177 =

[Special types of founding] Spetsial'nye vidy lit'ia. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1955. 331 p. (Founding) (MLRA 8:10)

VASILEVSKIY, P.F.; RABINOVICH, B.V., kandidat tekhnicheskikh nauk, retsenzent; KRYLOV, V.I., inzhener, redaktor; POPOVA, S.M., tekhnicheskiy redaktor.

[Systems of pouring steel castings] Litnikovye sistemy stal'nykh otlivok. Moskva, Gos.nauchho-tekhn.izd-vo mashinostroit. lit-ry.1956.
160 p. (Steel castings) (MLRA 9:5)





POPOV, Andrey Dmitriyevich, kandidat tekhnicheskikh nauk, MASILWSHI, Balk, kandidat tekhnicheskikh nauk, retsenzent; MEZHOVA, V.A., inzhener, redaktor; Tikiahov, A.Ya., tskhnicheskiy redaktor; SHKIN, S.T., tekhnicheskiy redaktor

[Calculation of riser heads for casting] Raschet pribylei dlia otlivok. Moskva, Gos. nauchno-tekhn. isd-vo mashinostroit. lit-ry, 1957.

53 pv

(Pounding)





25(1)

PHASE I BOOK EXPLOITATION

SOV/1500

- Vasilevskiy, P. F., B.B. Gulyayev, D.P. Ivanov, V.V. Ioda, I.P. Karev, G.I. Kletskin, A.G. Korotkov, A.S. Murakhin, Yu.A. Nekhendzi, P.G. Petrov, and M.A. Smelov
- Liteynaya tekhnika; 2-ya Mezhdunarodnaya vystavka liteynoy tekhniki i liteynyye tsekhi FRG i GDR (Foundry Technology; Second International Exhibition of Foundry Technology and the Foundries of the FRG and GDR) Moscow, Mashgiz, 1958. 212 p. 3,500 copies printed.
- Ed.: P.F. Vasilevskiy; Ed. of Publishing House: A.I. Sirotin, Engineer; Tech. Ed.: A.Ya. Tikhanov; Managing Ed. for Literature on Heavy Machine Building (Mashgiz): S.Ya. Golovin, Engineer.
- PURPOSE: The purpose of this book is to acquaint readers with new developments in foundry technology as presented at the 23rd International Congress of Foundrymen held in Ducseldorf, Germany in 1956.
- COVERAGE: The Soviet delegation under the leadership of P.G. Petrov, Engineer, and his deputy D.P. Ivanov, along with nine other engineers, attended the Congress of Card 1%

Foundry Technology (Cont.)

SOV/1500

Foundrymen and the Foundry Exhibition held in Duesseldorf September 1 to 9, 1956. In this book the delegates present a joint report on the state of art in the foundries and research institutes which they visited. The book contains many photographs and diagrams of the machinery and equipment used in foundries and also photographs of finished foundry products. Illustrations accompany the technical descriptions and technical data. One chapter deals with leading German foundries and the major automotive and machine-building plants which maintain their own foundries. Another chapter deals with research and scientific institutes in Germany in which problems of melting and casting are studied. Finally, the authors attempt to evaluate German methods and techniques and compare them with their own. There are no references.

TABLE OF CONTENTS:

Foreword	· .
Ch. I. 23rd International Congress of Foundrymen	. 7
Ch. II. Second International Foundry Exhibition The importance of the second international exhibition Foundry technology at the exhibition	11 11 12
Card 2K	

Foundry ?	Technology (Cont.) SOV/1500	1
1.	General trends in mechanization and automation of	
	processes in foundries	12
2.	Equipment for the preparation of molding compounds	_
⊅•	MOLG-making machines	17
4.	Core-making machines	27
5.	Sand slingers	43
6.	Machines for casting in shell molds	50
7.	Pressure casting machines	53 60
8.	Melting equipment	66
9.	Shake-out and cleaning equipment	77
Ch. III.	Foundry Technology	
1. St	eel castings	92
2. Ca	stings from high-strength cast iron with spherical graphite	92 118
J. 110	merrous castings	
4. In	vestment castings	122 125
		12)
Ch. IV. 0:	rganization of Production and Labor	128
1. Par	rticipation of the foundryman in the design of cast parts	128
	pur vo	120
ard 3/6		

Foundr	y Technology (Cont.)	500	
	507/1	SOV/1500	
2.	Safety engineering	17/	
3.	Organization of production and engineering equipment	130	
	in foundries	3.74	
		132	
Ch. V.	Foundry Shops in West German Plants	139	
Gen	eral state of production	139	
Pro	Production of castings in individual plants		
•	l. Metallurgical plants and special foundries	142 142	
	Runrstahl Plant in Goettingen	142	
	Bochumer Stahlwerke Plant in Bochum	146	
,	Bergische Stahlindustrie Plant in Remscheid	148	
•	2. Automotive and general machine-building plants	153	
•	Maschinenfabrik Esslingen in Esslingen	153	
	Krauss and Maffey Plant in Munich	155	
	Alexanderwerke in Remscheid	157	
2	Metalwork Hund and Weber in Gelsenkirchen-Schalke	160	
-	Agricultural Machinery Plants	161	
	International Harvester Corporation (McCormick) in Neusse	161	
	Lanz Plant in Mannheim	164	
Card 4/			

Foundry Technology (Cont.)

3. Foundry Institute at the Freiberg Mining Academy (East Germany)
4. East German Scientific Research Institute "Central Institute
of Foundry Technology"

202

General Conclusions

AVAILABLE: Library of Congress

GO/mas
5-13-59

Card 6/6

AUTHOR: Vasilevskiy, P.F. SOV-128-58-10-17/19

TITLE: On the Book by E. Knipp "Defects in Cast Material" (C

knige E. Knippa "Poroki otlivok")

PERIODICAL: Liteynoye proizvodstvo, 1958, Nr 10, p 32 (USSR)

ABSTRACT: The above-named book published in Düsseldorf, West Ger-

many, in 1953, is reviewed.

1. Literature--USSR 2. Castings--Defect

Card 1/1

SOV/128-59-5-9/35

18(5)

Vasilevskiy, P.F. and Novikov, P.L., Canditates of Fechnical Sciences, and Shiryayev, V.V., Engineer AUTHOR:

TITLE:

Technological Control of Cooling of large size Steel

Castings in Sand Molds

Liteynoye Proizvodstvo, 1959, Nr 5, pp 18-19 (USSR) PERIODICAL:

The manufacturing of a chromium aluminum thermo couple ABSTRACT:

for exact control of temperature when cooling large size steel castings in sand molds is described. This thermo couple can be used up to 800-900 C. According to Fig. (3) it is adjusted in the sand mold. It consists Fig.(2) of thermo electrodes of 1,2, or 3 mm thickness which are isolated by porcelaine covers (4) and a quartz cover (3), wrapped by an interior (1) and exterior (2) jacket of steel. (See also Fig. 1). In the interior is a gauze tube. Furthermore, cooling is achieved by coiled wire. Fig. (4) shows the temperature curve when cooling a casting of 85 tons by a tungsten molybdenum thermo couple of same construc-

Card 1/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8" SOV/128-59-5-9/35

Technological Control of Cooling of large size Steel Castings in Sand Molds

tion. There are 1 photograph and 3 diagrams

Card 2/2

18(5,7)AUTHOR:

Vasilevskiy, P.F., and Novikov, P.G., Candidates of Technical Sciences, and Fiksen N.V., Engineer

SCT/128-59-9-3/25

Fundamental Trends of Development in the Technology TITLE: of Heavy Castings Moulding

Liteynoye proizvodstvo, 1959, Nr 9, pp 5-13 (USSR) PERIODICAL:

Over the last 25 years, Soviet industry attained a ABSTRACT: comparatively high level in the manufacturing of

heavy castings, that is of those weighing over 5 tons. The main works making them are: Novo-Kramatorskiy, ", Ural'skiy, Yuzhno-Ural'skiy, Elektrostal'skiy, Sibirskiy and Nevskiy Machine-Building Plants. However, the volume of heavy castings produced at present does not satisfy the actual needs presented by the continuous development of Soviet presented by the continuous development of Soviet industry; hence the importance of stepping-up their production by introducing, first of all, modern methods in the preparing of large-size mouldings. Such large-size parts of different machines and in-

stallations, as water turbine stators, high-pressure cylinders for steam turbines, architraves for hydrau-

lic presses, water turbine working wheels, frames

Card 1/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8" Fundamental Trends of Development in the Technology of Heavy

for train blooms, etc., are at present piecemeal cast; their components are then joined together by bolting, welding, or by other means. The author of this article maintains that development of largesize moulds manufacture should come to the forefront. As further means of development of foundry production, the following measures are recommended: i) Widening of application of cast-welded constructions; 2) application of universal assembling caissons; 3) application of large universal assembling casting moulds and models; 4) control over cooling processes of moulds at different stages of casting; 5) widening of application of machine-moulding methods for heavy castings. The use of compulsory cooling of casting moulds was for the first time realized in 1955, in the Minsk Plant imeni Voroshilov, applying a method proposed by Mitichev. There are 1 graph, 1 table, 13 diagrams, 15 photographs and 8 references, 6 of which are Soviet, ? English and ! German.

Card 2/2

AKSENOV, P.N.; BERG, P.P.; GODASHKOV, N.M.; VEYNIK, A.I.; GORSHKOV, A.A.; ZHAROV, N.T.; ZHUKOV, A.A.; ZOROKHOVICH, I.Z.; KUMANIN, I.B.; LEVI, L.I.; LYASS, A.M.; MARIYENBAKH, L.M.; ORLOV, G.M.; PORUCHI-KOV, Yu.P.; RABINOVICH, B.V.; STOLBOVOY, S.Z.; FEYGKL SON, B.Yu.; VASILEVSKIY, P.F., red.; KLOCHNEV, N.I., red.; KONSTANTINOV, L.S., red.; POLIAKOV, Ya.G., red.; MARKIZ, Yu.L., red.izd-va; UVAROVA, A.F., tekhn.red.

[Theory of founding processes] Voprosy teorii liteynykh proteessov. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1960. 692 p. (MIRA 13:7)

(Founding)

Present state and basic trends in developing processes for the production of large steel castings, [Trudy] TSNIITMASH 77:5-21 160.

(Steel castings)
(Founding)

NOVIKOV, P.G., kandjekhn.nauk; VASILEVSKIY, P.F., kand.tekhn.nauk

Prospects for the use of standardized parts in founding. [Trudy]
TSNIITMASH 97:167-182 '60, (MIRA 13:8)

(Foundries--Equipment and supplies)

VASILEVSKIY, P.F., PLOTINSKIY, L.Ye.

S/128/60/000/007/012/017 A105/A033

AUTHORS: Vasilevskiy, P.F. and Chernogorov, P.V.

TITLE: At the Leipzig Conference "Patterns and Molds"

PERIODICAL: Liteynoye proizvodstvo, 1960, No. 7, pp. 46-47

TEXT: A conference on "Production of Patterns and Casting Molds" and "Metallurgy and Foundry Technique" was convened by the departments of the House of Technics of the GDR on September 24-25, 1959, in Leipzig. The conference was attended by delegates from the USSR (2), Hungary (1), Poland (1) and FRG (1). The following papers were read: "The Development Prospects of Pattern and Casting Production in the GDR" by the representative of the Planning Commission of KDR Schilling; "The Demands of Founders on Pattern Production" by Lefler, Karl-Marxstadt; "The Part of Pattern Makers in the Production of High Quality Castings" by Getsch, Linke and Gruennes, Leipzig; "Labor Organization in Pattern Workshops" by Erdmann, Schirm, Krebel and Dorn, Leipzig; "The Transition from the Domestic and Private Enterprise to Socialist Production" by Gayttsch, Karl-Marxstadt; "Production Technique of Chill Molds for Card 1/2

S/128/60/000/007/012/017
At the Leipzig Conference "Patterns and Molds" A105/A033

Light Alloy Castings" by Jander, Rackwitz; "Production of Chill Molds for Iron Castings" by Schwartz, Dresden; "Erosion Processes" by Rossa, Berlin; "The Use of Epoxy Resins in Pattern Production" by Schigner, Grediz; "Accident Prevention in Foundries under Consideration of Physiological Factors" by Hauser of the Institute of Technology, Leipzig; "New Technological Methods in Steel Casting" by P.F. Vasilevskiy; "Using Big-Lot Production Methods in the Individual or Small-Batch Production of Molds" by P.V. Chernogorov; "Some Technological Problems on the Production of Molds for Malleable Cast Iron" by the Hungarian delegate. The majority of papers dealt with problems of pattern production. The first paper contained figures showing the achieved and planned development of foundry production for 1959-65. Centralization of this production is planned at the Pattern Plant in Leipzig. Doctor F. Naumann of the Leipzig Institute of Foundry Techniques plays the leading part in the standardization of chill mold and pattern units. The composition of epoxy resins was determined in the Leuna Plant im. Walter Ulbricht, Grediz. After the conference the delegates visited a number of plants supervised by the Leipzig Institute of Foundry Techniques and College of Engineering. A brief description of the Specialized Leipzig Pattern Plant is given.

Card 2/2

\$/123/62/000/006/018/018 A004/A101

AUTHOR:

Vasilevskiy, P. F.

TITLE:

Basic measures to improve the quality of big-size steel castings

PERIODICAL: Referativnyy zhurnal, Mashinostroyeniye, no. 6,1962, abstract 60180 (V sb. "Novoye v liteyn. proiz-ve. no. 3". Gor'kiy, 1960.

120-132)

The greater part of castings (up to 70%) is rejected because of TEXT: sand cavities and pinches and also because of dimensional defects. One of the means of preventing rejects is to work out an analysis of the causes of rejects, to find the sources of these rejects and measures to prevent them. Good results were obtained by using water glass mixtures (composition in %) quartz sand 95-97, refractory clay 3-5, water glass (specific gravity 1.48) 6-7, 10% NaOH - 1.0-1.5. Good results as to surface finish (without scab) of big-size steel castings. prevention of rejects because of sand cavities and pinches, were obtained by using facing mixtures containing chromite and chromemagnesite. The author presents the compositions and properties of molding and exothermic mixtures. There are 10 figures and 1 table.

[Abstracter's note: Complete translation]

Card 1/1

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001858810011-8"

VASHEVSKIY, P. F. and HICTIVEHIY, L. YE.

"The Influence of the Conditions of Feat Elirination from a large Steel Casting of its Quality"

report presented at the 7th Conference on the Interaction of the Cauting Would and the Casting, sponsored by the Inst. of Mechanical Engineering, Acad. Sci. USSR, 25-28 January 1961.

ALEKSANDROV, R.G.; BARBASHINA, Ye.G.; BAS'KO, K.P.; VARTAN'YAN, A.S.; VASILEV-SKIY, P.F.; GLACOLEVA, L.A.; DUBININ, N.P., prof., doktor tekhn. nauk; KONSTANTINOV, L.S.; KOROTKOV, A.I.; LESNICHENKO, V.L.; PANFILOV, Ye.A.; TRUBITSYN, N.A.; TUCHKEVICH, N.M.; PADEYEV, A.D.; FOKIN, G.F.; MARTENS, S.L., inzh., red.; SOKOLOVA, T.F., tekhm. red.

[Steel casting; foundrymen's handbook] Stal'noe lit'e; spravochmik dlia masterov liteinogo proizvodstva. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1961. 887 p. (MIRA 14:8) (Founding)

VASILEVSKIY, P.P., kand. tekhn. nauk; DEMAKOV, A.Ye.; PLEKHANOV, P.N.;
ASSONOV, A.D.; VLASOV, V.I.; KANEVSKAYA, T.B.; SHLENTSOV, K.G.;
HYZHIKOV, A.A.; RUBTSOV, N.N., zasl. deyatl' nauki i tekhniki
RSFSR, doktor tekhn. nauk prof., red.; MARTENS, S.L., red. izdva; EL'KIND, V.D., tekhn. red. |

[Handbook on founding; shaped steel casting] Spravochnik liteishchika; fasonnoe stal'noe lit'e. [By] P.F.Vasilevskii i dr.
Pod obshchei red. N.N.Rubtsova. Moskva, Mashgiz, 1962. 611 p.

(Founding-Handbooks, mamuals, etc.)